

Safety Data Sheet

according to Regulation (EU) 2015/830 Issue date: 14-6-2017 Revision date: 27-1-2021 Supersedes version of: 17-11-2020 Version: 3.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form Product name UFI Product code	<ul> <li>Mixture</li> <li>Powercleaner 99</li> <li>1P2H-WN8N-F30Y-1TR1</li> <li>270658, 270474, 270601</li> </ul>	
Type of product Product group	: Detergent : Cleaning product	
1.2. Relevant identified uses of the substance or mixture and uses advised against		

#### 1.2.1. Relevant identified uses

Intended for general public	
Main use category	: Consumer use, Professional use
Industrial/Professional use spec	: Wide dispersive use
Use of the substance/mixture	: The information given in this MSDS concerns the product and is given on the assumption mentioned in section 1.1, that the product will be used in the manner and for the purposes indicated by the manufacturer.
Use of the substance/mixture	: Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners, carpet cleaners, metal cleaners, air fresheners)
Function or use category	: Cleaning/washing agents and additives
1.2.2. Uses advised against	

No additional information available

1.3. Details of the supplier of the safety data sheet

Zettex Europe B.V. Plaza 20 4782 SK Moerdijk - Nederland T +31 (0)888-938839 - F +31 (0)888-938888 info@zettex.nl - www.zettex.nl

#### 1.4. Emergency telephone number

Emergency number

: +31 (0)888-938839

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Full text of H statements : see section 16	

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

## Safety Data Sheet

according to Regulation (EU) 2015/830

## 2.2. Label elements

Labelling according to Regulation (EC) N	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS05
Signal word (CLP)	: Danger.
Contains	: Isotridecanol, ethoxylated (8 EO); Sulphonic acids, C14-17-sec-alkane, sodium salts
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H318 - Causes serious eye damage.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a
	doctor.
Child-resistant fastening	: Not applicable
5	
Tactile warning	: Not applicable
2.3. Other hazards	

No additional information available

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butoxydiglycol substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	(CAS-No.) 112-34-5 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	5 – 10	Eye Irrit. 2, H319
Isotridecanol, ethoxylated (8 EO)	(CAS-No.) 9043-30-5 (EC-No.) 500-027-2 (REACH-no) 02-2119552461-55	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Tetrapotassiumpyrophosphate	(CAS-No.) 7320-34-5 (EC-No.) 230-785-7 (REACH-no) 01-2119489369-18	1 – 5	Eye Irrit. 2, H319
Sulphonic acids, C14-17-sec-alkane, sodium salts	(CAS-No.) 97489-15-1 (REACH-no) 01-2119489924-20	1 – 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Potassium hydroxide substance with national workplace exposure limit(s) (GB)	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	0,1 – 1	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314

## Safety Data Sheet

according to Regulation (EU) 2015/830

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Sulphonic acids, C14-17-sec-alkane, sodium salts	(CAS-No.) 97489-15-1 (REACH-no) 01-2119489924-20	( 10 <c 15)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 100)="" 2,="" <="" h315<br="" irrit.="" skin="">( 15 <c 1,="" 100)="" <="" dam.="" eye="" h318<br="">( 60 <c (oral),="" 100)="" 4="" <="" acute="" h302<="" td="" tox.=""></c></c></c></c>	
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33	( 0,5 ≤C < 2) Eye Irrit. 2, H319 ( 0,5 ≤C < 2) Skin Irrit. 2, H315 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314	

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and ef	ffects, both acute and delayed
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Water spray. Dry powder. Foam. 5.2. Special hazards arising from the substance or mixture Fire hazard : No fire hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. 5.3. Advice for firefighters Protection during firefighting Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protectiv	e equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

## Safety Data Sheet

according to Regulation (EU) 2015/830

6.2. Environmental precaution	IS
Avoid release to the environment.	
6.3. Methods and material for	containment and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other section	ns

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
Storage temperature	: 10 – 30 °C
Storage area	: Store away from heat. Keep storage area clean. Ensure that there is a suitable ventilation system.
Special rules on packaging	: Store in a closed container. Keep only in original container.
7.3. Specific end use(s)	

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Butoxydiglycol (112-34-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-(2-Butoxyethoxy)ethanol
IOEL TWA	67,5 mg/m³
IOEL TWA [ppm]	10 ppm
IOEL STEL	101,2 mg/m <sup>3</sup>
IOEL STEL [ppm]	15 ppm
United Kingdom - Occupational Exposure Limits	
Local name	2-(2-Butoxyethoxy)ethanol
WEL TWA (OEL TWA) [1]	67,5 mg/m³
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	101,2 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	15 ppm

## Safety Data Sheet

according to Regulation (EU) 2015/830

Potassium hydroxide (1310-58-3)	
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m³

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:			
Safety glasses			
Type         Field of application         Characteristics         Standard			
Safety glasses	Droplet	With side shields	EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

Hand protection:					
Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4	2 (< 1.5)	EN 374-2

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

## Safety Data Sheet

according to Regulation (EU) 2015/830

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Carefully comply with the instructions for use. Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	9.1. Information on basic physical and chemical properties	
Physical state	: Liquid	
Appearance	: clear.	
Colour	: red.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: 13	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 1,1 g/cm <sup>3</sup>	
Solubility	: completely soluble.	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Viscosity, kinematic	: < 18,182 mm²/s	
Viscosity, dynamic	: < 20 mPa·s	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

#### 9.2. Other information

No additional information available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

#### **10.5. Incompatible materials**

Strong acids.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 11: Toxicological information		
11.1 Information on toxicological	effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified	
Isotridecanol, ethoxylated (8 EO	\ (0042-20-5)	

Isotridecariol, ethoxylated (8 EO) (9043-50-5)	
LD50 oral	> 500 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Sulphonic acids, C14-17-sec-alkane, sodium salts (97489-15-1)	
LD50 oral	> 500 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Butoxydiglycol (112-34-5)	
LD50 oral rat	6600 mg/kg
LD50 dermal rabbit	2764 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l

Tetrapotassiumpyrophosphate (7320-34-5)	
LD50 oral	4640 mg/kg bodyweight
LD50 dermal	> 4640 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 1100 mg/l

Potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation. pH: 13
Serious eye damage/irritation	: Causes serious eye damage. pH: 13
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Powercleaner 99	
Viscosity, kinematic	< 18,182 mm²/s

## Safety Data Sheet

according to Regulation (EU) 2015/830

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

(chronic)

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term

: Not classified

: Not classified

Sulphonic acids, C14-17-sec-alkane, sodium salts (97489-15-1)	
LC50 - Fish [1]	> 1 mg/l
EC50 - Other aquatic organisms [1]	9,81 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 61 mg/l
EC50 72h - Algae [1]	> 61 mg/l OECD 201
NOEC chronic fish	0,85 mg/l OECD 204
NOEC chronic crustacea	0,36 mg/l OECD 202
NOEC chronic algae	600 mg/l DIN 38412 T.8

Butoxydiglycol (112-34-5)	
LC50 - Fish [1] 1300 mg/l	
EC50 - Other aquatic organisms [1]	1000 mg/l EC50 waterflea (48 h)
EC50 - Other aquatic organisms [2]	100 mg/l IC50 algea (72 h) mg/l

Tetrapotassiumpyrophosphate (7320-34-5)	
EC50 - Other aquatic organisms [1]	100 mg/l EC50 waterflea (48 h)

Potassium hydroxide (1310-58-3)		
LC50 - Fish [1]	80 mg/l	
12.2. Persistence and degradability		
Powercleaner 99		
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	

Isotridecanol, ethoxylated (8 EO) (9043-30-5)	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sulphonic acids, C14-17-sec-alkane, sodium salts (97489-15-1)	
Chemical oxygen demand (COD) 2,065 mg/g	
Biodegradation	96,2 %

## Safety Data Sheet

according to Regulation (EU) 2015/830

Butoxydiglycol (112-34-5)	
Biodegradation	89 – 93 % OECD 301 C
12.3. Bioaccumulative potential	
Butoxydiglycol (112-34-5)	
Partition coefficient n-octanol/water (Log Pow)	1
Tetrapotassiumpyrophosphate (7320-34-5)	
Partition coefficient n-octanol/water (Log Pow)	-10,45
Potassium hydroxide (1310-58-3)	
Partition coefficient n-octanol/water (Log Pow)	0,75
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste)       :         Waste treatment methods       :         Product/Packaging disposal recommendations       :	Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Empty containers can be dumped after cleaning according to local legislation. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.

Ecology - waste materials European List of Waste (LoW) code

## **SECTION 14: Transport information**

#### In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number		· · ·		·
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			-
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				-
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

: Avoid release to the environment.

: 20 01 29\* - detergents containing dangerous substances

## Safety Data Sheet

according to Regulation (EU) 2015/830

No supplementary information available

14.6. Special precautions for user

Overland transport Not applicable Transport by sea Not applicable Air transport Not applicable Inland waterway transport Not applicable Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component %	
anionic surfactants, non-ionic surfactants, phosphates <5%	

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes:			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
1.2	Main use category	Modified	
1.2	Intended for general public	Added	
2.2	Precautionary statements (CLP)	Modified	

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	Abbreviations and acronyms:	
	ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

## Safety Data Sheet

according to Regulation (EU) 2015/830

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
Data sources Other information	<ul> <li>REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</li> <li>None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information</li> </ul>

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	

may not be applicable.

## Safety Data Sheet

according to Regulation (EU) 2015/830

Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Expert judgment

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.